

SAFETY DATA SHEET

1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY

PRODUCT NAME: WICKES ALL PURPOSE READY MIXED FILLER

SKU: 600227, 600231, 600242, 600254

PRODUCT USE: A general purpose ready mixed filler suitable for repairs to stonework, timber and plaster.

MANUFACTURER: Bartoline Ltd
Barmston close
Beverley
East Yorkshire
HU17 0LG

TELEPHONE: 01482 678727

FAX: 01482 872606

EXCHANGE: 01482 678710

EMAIL: info @ bartoline.co.uk

2. COMPOSITION/INFORMATION ON INGREDIENTS

A specially formulated filler containing natural minerals, calcium, magnesium carbonate, rheology modifiers and organic polymers, in can preservatives, containing no hazardous ingredients in quantities greater than those laid down in Annex VI to Directive 67/548/EEC and, The Dangerous Preparations Directive (1999/45/EC) as amended, but will contain small or trace amounts of:

HAZARDOUS INGREDIENTS:

INGREDIENT NAME	CAS No	CONTENT	RISK PHRASE	CLASS
1,2-benzisothiazol-3(2H)-one	2634-33-5	0.0045%	R38,41,43,50	Xn, N
2-methyl-2H-isothiazol-3-one	2682-20-4	0.0045%	R20/22,34,43,50	C, N

3. HAZARDS IDENTIFICATION

Inhalation: Not a foreseeable hazard as supplied, but inhalation of high concentrations of dust during sanding of cured product will ultimately damage the respiratory system.

Skin Contact: There may be a slight drying effect on the skin if exposure is sustained.

Eye contact: May cause discomfort in contact with eyes.

Ingestion: Ingestion of very large amounts may cause discomfort and upset the digestive system.

4. FIRST AID MEASURES

INHALATION: Clear airway if obstructed.

SKIN CONTACT: Wash area with plenty soap and water. Do not allow to dry on skin, apply moisturising cream as necessary.

EYE CONTACT: Flush out eyes with clean water, whilst lifting the eyelids, continue for 15 minutes or until the irritation subsides. Seek medical help if irritation persists.

INGESTION: If swallowed, wash out mouth with water. No treatment normally appropriate.

Cont.

5. FIRE FIGHTING MEASURES

General: No special procedures are required this is a water-based product and presents no particular fire or explosion hazard.

6. ACCIDENTAL RELEASE MEASURES

Prevent from spreading by encircling with an inert material, soak up with inert material such as sand, saw dust or spill granules. Scrape up uncured product and place into a container. Alternatively allow to set and chip up. Dispose of contaminated material as waste according to section 13.

7. HANDLING AND STORAGE

HANDLING: Apply "Common-sense" measures in handling. Maintain good standards of personal hygiene. Food should not be prepared, stored or consumed in area of product use. Keep products in their original containers.

STORAGE: Store in tightly closed labelled containers.
Store in cool but frost free dry area ideally in temperatures of 5°C – 40° C.
If the containers are stored outside and there is a risk of a large spillage then consideration should be given to providing bunding to prevent release to the environment.
Keep out of reach of children

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace Exposure Limit - Non Required

If large use of this product is expected such as would be the case with professional decorators, then PVC/rubber gloves and safety glasses should be worn if contact is expected.

9. PHYSICAL & CHEMICAL PROPERTIES

These are indicative values only:

Physical State:	Paste
Form/colour:	Opaque white
Odour:	Slight
Specific Gravity	1.750 +/- 0.1
Viscosity @ 25 Deg C (Helipath SF/S10)	2800 – 3200
PH	8.5 – 9.5
Solids content %	85+/- 2
Solubility in Water	Miscible
Solubility in Organics	Miscible

10. STABILITY AND REACTIVITY

Stable material.
Incompatible Materials – Steel containers
Incompatible Conditions – Non
Hazardous polymerisation - will not occur

11. TOXICOLOGICAL INFORMATION

This product is essentially NON TOXIC and no serious chronic effects have been evident from handling under normal use.

Inhalation:	Negligible at ambient temperature
Skin Contact:	Repeated or prolonged contact may cause defatting of the skin, which may lead to skin irritation and/or dryness.
Eye contact:	May cause redness and discomfort which is transient.
Ingestion:	Ingestion of very large amounts may cause discomfort and upset the digestive system.

Cont.

16. OTHER INFORMATION

List of risk and safety phrases detailed in section 2 of this Material Safety Data Sheet are as follows: -

R34 Causes burns
R 38 Irritating to skin
R41 Risk of serious damage to eyes
R43 May cause sensitisation by skin contact
R50 Very Toxic to aquatic organisms
R20/22 Harmful by inhalation and if swallowed

The product should not be used for purposes other than those shown in Section 1. As the specific conditions of use are outside the suppliers control, the user is responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this safety data sheet is based on the present knowledge and the current UK and EC legislation. It provides guidance on health, safety and environmental aspects of the product and should not be taken as a product specification.

Department issuing this document: Health & Safety
Compilation Date: 14th December 2007
Issue Number: 1
Changes from last issue: None
Printed Date: 18 December 2007